

High-pressure radial fan made of plastic, Direct drive

single inlet, for exhaust air, for continuous operation, welded, self-supporting casing optionally made of PP / PPs / PPs-el / PE / PVC / PVDF, splinter protection for maximum safety, round duct connection on inlet side for sleeve, round flange on discharge side, Impeller with backward curved blades optionally made of PP / PPs / PPs-el / PVDF, power transmission by means of form-fit, stable sheet steel construction optionally in galvanized / VA design, to accommodate casing and motor, three-phase motor outside the air stream

Fan

Casing material	<input type="checkbox"/> PP, <input type="checkbox"/> PPs, <input type="checkbox"/> PPs-el, <input type="checkbox"/> PVDF, <input type="checkbox"/> PE, <input type="checkbox"/> PVC
Impeller material	<input type="checkbox"/> PP, <input type="checkbox"/> PPs, <input type="checkbox"/> PPs-el, <input type="checkbox"/> PVDF
Casing orientation	LG / RD
Inlet diameter mm
Drive type	direct drive
Air flow m ³ /h
Static pressure Pa
Temperature °C
Sound pressure at 3m dB(A)
Operating impeller speed min ⁻¹
Efficiency stat. mech. %
Shaft power kW
Ex-Execution	<input type="checkbox"/>
Ex-Zone inside	Zone ... / Cat. ...
Ex-Zone outside	Zone ... / Cat. ...
Droplets excluded	<input type="checkbox"/> Yes / <input type="checkbox"/> No

Motor

Speed min ⁻¹
Power kW
Rated current A
Voltage V
Line frequency Hz
Safety class	IP ...
PTC resistor
Motor type
Ex-Execution	Ex ...

Fan weight kg
Motor weight kg
Total weight kg

Options/Accessories

Support execution galvanized, V2A 1.4301 304, V4A 1.4404 316

Required Vibration absorbers for floor mounting, Isolation switch,
 Sleeves or protective grid

Optional Drain, Frequency converter, Motor cover,
 Hub seal,

Edition 2024 • subject to alterations • Copyright by COLASIT AG Spiez


COLASIT Asia Pte Ltd

Plastic construction • 38 Woodlands Industrial Park E1 #03-04 • Singapore 757700

Phone +65 6852 35 80/1 • info@colasit.com.sg

www.colasit.com.sg

Competence in plastics. Worldwide.



High-pressure radial fan made of plastic, V-belt drive

single inlet, for exhaust air, for continuous operation, welded, self-supporting casing optionally made of PP / PPs / PPs-el / PE / PVC / PVDF, splinter protection for maximum safety, round duct connection on inlet side for sleeve, round flange on discharge side, Impeller with backward curved blades optionally made of PP / PPs / PPs-el / PVDF, power transmission by means of form-fit, stable sheet steel construction optionally in galvanized / VA design, to accommodate casing and motor, three-phase motor outside the air stream

Fan

Casing material	<input type="checkbox"/> PP, <input type="checkbox"/> PPs, <input type="checkbox"/> PPs-el, <input type="checkbox"/> PVDF, <input type="checkbox"/> PE, <input type="checkbox"/> PVC
Impeller material	<input type="checkbox"/> PP, <input type="checkbox"/> PPs, <input type="checkbox"/> PPs-el, <input type="checkbox"/> PVDF
Casing orientation	LG / RD
Inlet diameter mm
Drive type	direct drive
Air flow m ³ /h
Static pressure Pa
Temperature °C
Sound pressure at 3m dB(A)
Operating impeller speed min ⁻¹
Efficiency stat. mech. %
Shaft power kW
Ex-Execution	<input type="checkbox"/>
Ex-Zone inside	Zone ... / Cat. ...
Ex-Zone outside	Zone ... / Cat. ...
Droplets excluded	<input type="checkbox"/> Yes / <input type="checkbox"/> No

Motor

Speed min ⁻¹
Power kW
Rated current A
Voltage V
Line frequency Hz
Safety class	IP ...
PTC resistor
Motor type
Ex-Execution	Ex ...

Fan weight kg
Motor weight kg
Total weight kg

Options/Accessories

Support execution	<input type="checkbox"/> galvanized, <input type="checkbox"/> V2A 1.4301 304, <input type="checkbox"/> V4A 1.4404 316
Required	<input type="checkbox"/> Vibration absorbers for floor mounting, <input type="checkbox"/> Isolation switch, <input type="checkbox"/> Sleeves or <input type="checkbox"/> protective grid
Optional	<input type="checkbox"/> Drain, <input type="checkbox"/> Frequency converter, <input type="checkbox"/> Motor cover, <input type="checkbox"/> Hub seal,

Edition 2024 • subject to alterations • Copyright by COLASIT AG Spiez

COLASIT Asia Pte Ltd

Plastic construction • 38 Woodlands Industrial Park E1 #03-04 • Singapore 757700

Phone +65 6852 35 80/1 • info@colasit.com.sg

www.colasit.com.sg

Competence in plastics. Worldwide.

